

CCMHP Outpatient Included Diagnosis List

Effective 02/09/21

Note: All diagnoses that are ~~lined-out-in-red~~ have been removed from the Included Diagnosis list. Please refer to the DHCS MHSUDS Information Notice specified.

ICD-10: Required for ShareCare Billing	DSM-5	DSM 5 Description
F20.0	295.3	Schizophrenia, paranoid type (narrative from DSM-IV-TR manual)
F20.1	295.1	Schizophrenia, disorganized type (narrative from DSM-IV-TR manual)
F20.2	295.2	Schizophrenia, catatonic type (narrative from DSM-IV-TR manual)
F20.3	295.9	Schizophrenia, undifferentiated type (narrative from DSM-IV-TR manual)
F20.5	295.6	Schizophrenia, residual type (narrative from DSM-IV-TR manual)
F20.81	295.4	Schizophreniform disorder
F20.89	298.9	Unspecified schizophrenia spectrum and other psychotic disorder
F20.9	295.9	Schizophrenia
F21	301.22	Schizotypal personality disorder
F22	297.1	Delusional disorder
F23	298.8	Brief psychotic disorder
F24	297.3	Shared psychotic disorder (narrative from DSM-IV-TR manual)
F25.0	295.7	Schizoaffective disorder, bipolar type
F25.1	295.7	Schizoaffective disorder, depressive type
F25.8	295.7	Schizoaffective disorder, unspecified (for reference, ICD-10: Other Schizoaffective disorders)
F25.9	295.7	Schizoaffective disorder, unspecified (for reference, ICD-10: Schizoaffective disorder, unspecified)
F28	298.8	Other specified schizophrenia spectrum and other psychotic disorder
F29	298.9	Unspecified schizophrenia spectrum and other psychotic disorder

F30.10	296.4	Bipolar I disorder, current or most recent episode manic, unspecified (for reference, ICD-10: Manic episode without psychotic symptoms, unspecified)
F30.11	296.41	Bipolar I disorder, current or most recent episode manic, manic (for reference, ICD-10: manic episode without psychotic symptoms, mild)
F30.12	296.42	Bipolar I disorder, current or most recent episode manic, moderate (for reference, ICD-10: Manic episode without psychotic symptoms, moderate)
F30.13	296.43	Bipolar I disorder, current or most recent episode manic, severe (for reference, ICD-10: Manic episode without psychotic symptoms, severe)
F30.2	296.44	Bipolar I disorder, current or most recent episode manic, with psychotic features (for reference, ICD-10: Manic episode, severe, with psychotic symptoms)
F30.3	296.45	Bipolar I disorder, current or most recent episode manic, in partial remission (for reference, ICD-10: Manic episode in partial remission)
F30.4	296.46	Bipolar I disorder, current or most recent episode manic, in full remission (for reference, ICD-10: Manic episode in full remission)
F30.8	296.4	Bipolar I disorder, current or most recent episode manic, unspecified (for reference, ICD-10: Other manic episodes)
F30.9	296.4	Bipolar I disorder, current or most recent episode manic, unspecified (for reference, ICD-10: Manic episode, unspecified)
F31.0	296.4	Bipolar I disorder, current or most recent episode hypomanic
F31.10	296.4	Bipolar I disorder, current or most recent episode manic, unspecified
F31.11	296.41	Bipolar I disorder, current or most recent episode manic, mild
F31.12	296.42	Bipolar I disorder, current or most recent episode manic, moderate
F31.13	296.43	Bipolar I disorder, current or most recent episode manic, severe
F31.2	296.44	Bipolar I disorder, Current or most recent episode manic, With psychotic features
F31.30	296.5	Bipolar I disorder, current or most recent episode depressed, unspecified

F31.31	296.51	Bipolar I disorder, current or most recent episode depressed, mild
F31.32	296.52	Bipolar I disorder, current or most recent episode depressed, moderate
F31.4	296.53	Bipolar I disorder, current or most recent episode depressed, severe
F31.5	296.54	Bipolar I disorder, Current or most recent episode depressed, with psychotic features
F31.60	296.7	Bipolar I disorder, current or most recent episode unspecified (for reference, ICD-10: Bipolar disorder, current episode mixed, unspecified)
F31.61	296.89	Bipolar II disorder, with mixed features
F31.63	296.7	Bipolar I disorder, current or most recent episode unspecified (for reference, ICD-10: Bipolar disorder, current episode mixed, moderate)
F31.63	296.7	Bipolar I disorder, current or most recent episode unspecified (for reference, ICD-10: Bipolar disorder, current episode mixed, severe, without psychotic features)
F31.63	296.7	Bipolar I disorder, current or most recent episode unspecified (for reference, ICD-10: Bipolar disorder, current episode mixed, severe, with psychotic features)
F31.7	296.56	Bipolar I disorder, current or most recent episode depressed, in full remission (for reference, ICD-10: Bipolar disorder, currently in remission, most recent episode unspecified)
F31.71	296.45	Bipolar I disorder, current or most recent episode hypomanic, in partial remission
F31.72	296.46	Bipolar I disorder, current or most recent episode hypomanic, in full remission
F31.73	296.45	Bipolar I disorder, current or most recent episode manic, in partial remission
F31.74	296.46	Bipolar I disorder, current or most recent episode manic, in full remission
F31.75	296.55	Bipolar I disorder, current or most recent episode depressed, in partial remission
F31.76	296.56	Bipolar I disorder, current or most recent episode depressed, in full remission
F31.77	296.55	Bipolar I disorder, current of most recent episode depressed, in partial remission, with mixed features

F31.78	296.56	Bipolar I disorder, current or most recent episode depressed, in full remission, with mixed features.
F31.81	296.89	Bipolar II disorder
F31.89	296.89	Other specified bipolar and related disorder
F31.9	296.4	Bipolar I disorder, current or most recent episode hypomanic, unspecified
F31.9	296.4	Bipolar I disorder, current or most recent episode manic, unspecified
F31.9	296.5	Bipolar I disorder, current or most recent episode depressed, unspecified
F31.9	296.7	Bipolar I disorder, current or most recent episode unspecified
F31.9	296.8	Unspecified bipolar and related disorder
F32.0	296.21	Major depressive disorder, single episode, mild
F32.1	296.22	Major depressive disorder, single episode, moderate
F32.2	296.23	Major depressive disorder, single episode, severe
F32.3	296.24	Major depressive disorder, single episode, with psychotic features
F32.4	296.25	Major depressive disorder, single episode, in partial remission
F32.5	296.26	Major depressive disorder, single episode, in full remission
F32.81	635.4	Premenstrual dysphoric disorder
F32.89	311	Other specified depressive disorder
F32.9	296.2	Major depressive disorder, single episode, unspecified
F32.9	311	Unspecified depressive disorder
F33.0	296.31	Major depressive disorder, recurrent episode, mild
F33.1	296.32	Major depressive disorder, recurrent episode, moderate
F33.2	296.33	Major depressive disorder, recurrent episode, severe
F33.3	296.34	Major depressive disorder, recurrent episode, with psychotic features
F33.40	296.36	Major depressive disorder, recurrent episode, in full remission
F33.41	296.35	Major depressive disorder, recurrent episode, in partial remission
F33.42	296.36	Major depressive disorder, recurrent episode, in full remission
F33.8	296.3	Major depressive disorder, recurrent episode, unspecified
F33.9	296.3	Major depressive disorder, recurrent episode, unspecified
F34.0	301.13	Cyclothymic disorder
F34.1	300.4	Persistent depressive disorder (dysthymia)
F34.81	296.99	Disruptive mood dysregulation disorder

F34.89	311	Other specified depressive disorder (for reference, ICD-10: Other specified persistent mood disorder)
F34.9	300.4	Persistent depressive disorder (dysthymia) (for reference, ICD-10: Persistent mood [affective] disorder)
F39	311	Unspecified depressive disorder (for reference, ICD-10: Unspecified mood [affective] disorder)
F40.00	300.22	Agoraphobia
F40.01	300.21	Agoraphobia with panic disorder (narrative from DSM-IV-TR manual)
F40.02	300.01	Agoraphobia without panic disorder (narrative from DSM-IV-TR manual)
F40.10	300.23	Social anxiety disorder (social phobia)
F40.11	300.23	Social anxiety disorder (for reference, ICD-10: Social phobia, Generalized)
F40.210	300.29	Specific phobia, animal (for reference, ICD-10: arachnophobia)
F40.218	300.29	Specific phobia, animal
F40.220	300.29	Specific phobia, natural environment (for reference, ICD-10: Fear of thunderstorms)
F40.228	300.29	Specific phobia, natural environment
F40.230	300.29	Specific phobia, fear of blood
F40.231	300.29	Specific phobia, fear of injections and transfusions
F40.232	300.29	Specific phobia, fear of other medical care
F40.233	300.29	Specific phobia, fear of injury
F40.240	300.29	Specific phobia, situational (for reference, ICD-10: Claustrophobia)
F40.241	300.29	Specific phobia, natural environment (for reference, ICD-10: Acrophobia)
F40.242	300.29	Specific phobia, situational (for reference, ICD-10: Fear of bridges)
F40.243	300.29	Specific phobia, situational (for reference, ICD-10: Fear of flying)
F40.248	300.29	Specific phobia, situational
F40.290	300.29	Specific phobia, other (for reference, ICD-10: Androphobia)
F40.291	300.29	Specific phobia, other (for reference, ICD-10: Gynophobia)
F40.298	300.29	Specific phobia, other
F40.8	300.00	Unspecified anxiety disorder
F40.9	300.29	Specific phobia, other
F41.0	300.01	Panic disorder

F41.1	300.02	Generalized anxiety disorder
F41.3	300	Unspecified anxiety disorder (for reference, ICD-10: Other mixed anxiety disorders)
F41.8	300.09	Other specified anxiety disorder
F41.9	300	Unspecified anxiety disorder
F42.2	300.3	Obsessive-compulsive disorder
F42.3	300.3	Hoarding disorder
F42.4	698.4	Excoriation (skin-picking) disorder
F42.8	300.3	Other specified obsessive-compulsive and related disorder
F42.9	300.3	Unspecified obsessive-compulsive and related disorder
F43.0	308.3	Acute stress disorder
F43.10	309.81	Posttraumatic stress disorder
F43.11	308.3	Acute stress disorder
F43.12	309.81	Posttraumatic stress disorder
F43.20	309.9	Adjustment disorder, unspecified
F43.21	309	Adjustment disorder, with depressed mood
F43.22	309.24	Adjustment disorder, with anxiety
F43.23	309.28	Adjustment disorder, with mixed anxiety and depressed mood
F43.24	309.3	Adjustment disorder, with disturbance of conduct
F43.25	309.4	Adjustment disorder, with mixed disturbance of emotions and conduct
F43.29	309.9	Adjustment disorder unspecified
F43.8	309.89	Other specified trauma and stressor related disorder
F43.9	309.9	Unspecified trauma and stressor related disorder
F44.0	300.12	Dissociative amnesia
F44.1	300.13	Dissociative amnesia, with dissociative fugue
F44.2	300.15	Other specified dissociative disorder
F44.4	300.11	Conversion disorder (functional neurological symptom disorder), with abnormal movement
F44.4	300.11	Conversion disorder (functional neurological symptom disorder), with speech symptoms
F44.4	300.11	Conversion disorder (functional neurological symptom disorder), with swallowing symptoms
F44.4	300.11	Conversion disorder (functional neurological symptom disorder), with weakness/paralysis
F44.5	300.11	Conversion disorder (functional neurological symptom disorder), with attacks or seizures
F44.6	300.11	Conversion disorder (functional neurological symptom disorder), with anesthesia or sensory loss

F44.6	300.11	Conversion disorder (functional neurological symptom disorder), with special sensory symptoms
F44.7	300.11	Conversion disorder (functional neurological symptom disorder), with mixed symptoms
F44.81	300.14	Dissociative identity disorder
F44.89	300.15	Other specified dissociative disorder
F44.9	300.15	Unspecified dissociative disorder
F45.0	300.81	Somatization disorder (narrative from DSM-IV-TR manual)
F45.1	300.82	Somatic symptom disorder
F45.20	300.7	Illness anxiety disorder (for reference, ICD-10: Hypochondriacal disorder, Unspecified)
F45.21	300.7	Illness anxiety disorder
F45.22	300.7	Body dysmorphic disorder
F45.29	300.7	Illness anxiety disorder (for reference, ICD-10: Other hypochondriacal disorders)
F45.42	307.8	Unspecified somatic symptom and related disorder
F45.51	307.8	Unspecified somatic symptom and related disorder
F45.8	300.89	Other specified somatic symptom and related disorder
F45.9	300.82	Unspecified somatic symptom and related disorder
F48.1	300.6	Depersonalization/derealization disorder
F50.00	307.5	Unspecified feeding or eating disorder
F50.01	307.1	Anorexia nervosa, restricting type
F50.02	307.1	Anorexia nervosa, binge-eating/purging type
F50.2	307.51	Bulimia nervosa
F50.8	307.59	Avoidant/restrictive food intake disorder
F50.81	307.51	Binge-eating disorder
F50.82	307.59	Avoidant/restrictive food intake disorder
F50.89	307.52	Pica, in adults
F50.89	307.59	Other specified feeding or eating disorder
F50.9	307.5	Unspecified feeding or eating disorder
F53.0	296.23	Major depressive disorder, severe, single episode with peripartum onset
F53.1	298.8	Brief psychotic disorder with peripartum onset
F60.0	301	Paranoid personality disorder
F60.1	301.2	Schizoid personality disorder
F60.3	301.83	Borderline personality disorder
F60.4	301.5	Histrionic personality disorder
F60.5	301.4	Obsessive-compulsive personality disorder
F60.6	301.82	Avoidant personality disorder
F60.7	301.6	Dependent personality disorder

F60.81	301.81	Narcissistic personality disorder
F60.9	301.9	Unspecified personality disorder
F63.0	312.31	Gambling disorder
F63.1	312.33	Pyromania
F63.2	312.32	Kleptomania
F63.3	312.39	Trichotillomania (hair-pulling disorder)
F63.81	312.34	Intermittent explosive disorder
F63.89	312.89	Other specified disruptive impulsive control and conduct disorder (for reference, ICD-10: Other impulse disorders)
F63.89	312.34	Intermittent explosive disorder (for reference, ICD-10: Other impulse disorder)
F64.0	302.85	Gender dysphoria in adolescents and adults (transsexualism)
F64.2	302.6	Gender dysphoria in children
F64.8	302.6	Other specified gender dysphoria
F64.9	302.6	Unspecified gender dysphoria
F65.0	302.81	Fetishistic disorder
F65.1	302.3	Transvestic disorder
F65.2	302.4	Exhibitionistic disorder
F65.3	302.82	Voyeuristic disorder
F65.4	302.2	Pedophilic disorder
F65.50	302.84	Sexual sadism disorder (for reference, ICD-10: Sadomasochism, unspecified)
F65.51	302.83	Sexual masochism disorder
F65.52	302.84	Sexual sadism disorder
F65.81	302.89	Frotteuristic disorder
F65.89	302.89	other specified paraphilic disorder
F65.9	302.9	Unspecified paraphilic disorder
F68.10	300.19	Factitious disorder imposed on self
F68.11	300.19	Factitious disorder imposed on self, with predominantly psychological signs and symptoms
F68.12	300.19	Factitious disorder imposed on self, with predominantly physical signs and symptoms
F68.13	300.19	Factitious disorder imposed on self, with combined psychological and physical signs and symptoms
F68.A	300.19	Factitious disorder imposed on another
F80.82	315.39	Social pragmatic communication disorder
F80.9	307.9	Unspecified communication disorder
F84.0	299.00	Autism spectrum disorder
F84.2	299.8	Rett's syndrome (narrative from DSM-IV-TR manual)

F84.3	299.1	Other childhood disintegrative disorder (narrative from DSM-IV-TR manual)
F84.5	299.8	Asperger's syndrome (must use DSM-IV-TR manual)
F84.8	299.8	Other pervasive developmental disorders (narrative from DSM-IV-TR manual)
F84.9	299.8	Pervasive developmental disorder, unspecified (narrative from DSM-IV-TR manual)
F90.0	314	Attention-deficit/hyperactivity disorder, predominantly inattentive presentation
F90.1	314.01	Attention-deficit/hyperactivity disorder, predominantly hyperactive/impulsive presentation
F90.2	314.01	Attention-deficit/hyperactivity disorder, combined presentation
F90.8	314.01	Other specified attention-deficit/hyperactivity disorder
F90.9	314.01	Unspecified attention-deficit/hyperactivity disorder
F91.0	312.89	Other specified disruptive impulsive control and conduct disorder (for reference, ICD-10: Conduct disorder confined to family context)
F91.1	312.81	Conduct disorder, childhood-onset type
F91.2	312.82	Conduct disorder, adolescent-onset type
F91.3	313.81	Oppositional defiant disorder
F91.8	312.89	Other specified disruptive, impulse-control, and conduct disorder
F91.9	312.89	Conduct disorder, unspecified onset
F91.9	312.9	Unspecified disruptive, impulse-control, and conduct disorder
F93.0	309.21	Separation anxiety disorder
F93.8	313.9	Disorder of infancy, childhood or adolescence NOS (must use DSM-IV-TR manual) (for reference, ICD-10: Other childhood emotional disorders, unspecified)
F93.9	313.9	Disorder of infancy, childhood or adolescence NOS (must use DSM-IV-TR manual) (for reference, ICD-10: Childhood emotional disorder, unspecified)
F94.0	313.23	Selective mutism
F94.1	313.89	Reactive attachment disorder
F94.2	313.89	Disinhibited social engagement disorder
F94.8	315.39	Social pragmatic communication disorder (for reference, ICD-10: Other childhood disorders of social functioning)
F94.9	315.39	Social pragmatic communication disorder (for reference, ICD-10: Other childhood disorders of social functioning)
F95.0	307.21	Provisional tic disorder

F95.1	307.22	Persistent (chronic) motor or vocal tic disorder
F95.2	307.23	Tourette disorder
F95.8	307.2	Other specified tic disorder
F95.9	307.2	Unspecified tic disorder
F98.0	307.6	Enuresis
F98.1	307.7	Encopresis
F98.21	307.53	Rumination disorder
F98.29	307.59	Other specified feeding or eating disorder
F98.3	307.52	Pica, in children
F98.4	307.3	Stereotypic movement disorder
F98.8	313.9	Must use ICD-10 narrative: Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence. Use DSM-IV-TR criteria for Disorder of infancy, childhood, or adolescence Not otherwise specified
F98.9	313.9	Must use ICD-10 narrative: Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence. Use DSM-IV-TR criteria for Disorder of infancy, childhood, or adolescence, not otherwise specified
G21.0	333.92	Neuroleptic malignant syndrome **
G21.11	332.1	Neuroleptic-induced parkinsonism **
G24.4		Idiopathic orofacial dystonia (ICD-10 narrative) **
G25.1	333.1	Medication-induced postural tremor **
G25.70		Drug-induced movement disorder, unspecified (ICD-10 narrative) **
G25.71	333.99	Medication-induced acute akathisia **
G25.9		Extrapyramidal and movement disorder, unspecified (ICD-10 narrative) **
R15.0	787.6	Other specified elimination disorder with fecal symptoms
R15.9	787.6	Unspecified elimination disorder with fecal symptoms
R69		Diagnosis Deferred (Illness, unspecified) Code removed per Info Notice 20-043.
Z03.89		No Diagnosis

** ICD-10 code and narrative only where indicated. Only authorized if diagnosed by the clinical practitioner within their scope of practice.